

UNIFOX-C VDE M - Combination pliers



1212834

<https://www.phoenixcontact.com/us/products/1212834>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Combination pliers, 165 mm, notched gripping surface, VDE 1000 V AC/ 1500 V DC tested



Your advantages

- Ergonomic handle design to eliminate fatigue when working
- Excellent transformation ratios for excellent gripping and cutting performance
- Noticeably less force required on the part of the user
- Special tool steel for permanent use
- Notched gripping surface and sharp cutting edge
- Ergonomically shaped two-component handles for fatigue-free and non-slip use
- VDE tested

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 1212834 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BH31 |
| Product key | BH3162 |
| GTIN | 4055626045535 |
| Weight per piece (including packing) | 231.2 g |
| Weight per piece (excluding packing) | 196.9 g |
| Customs tariff number | 82032000 |
| Country of origin | DE |

UNIFOX-C VDE M - Combination pliers



1212834

<https://www.phoenixcontact.com/us/products/1212834>

Technical data

Notes

Environmental Product Compliance

| | |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

Product properties

| | |
|------------------|--------------------------------|
| Product type | Universal tools |
| Application | Aluminum |
| | Copper |
| Product property | Compact design |
| | Cutting, gripping, bending |
| | Notched gripping surface |
| | Ergonomic two-component handle |
| | VDE tested |

Dimensions

| | |
|--------|--------|
| Length | 165 mm |
|--------|--------|

Material specifications

| | |
|-------|-------|
| Color | black |
|-------|-------|

Cable/line

| | |
|-------------------------|------------|
| External cable diameter | ≤ 10.00 mm |
|-------------------------|------------|

Standards and regulations

| | |
|-------|----------------------------------|
| Tests | DIN EN 60900 (VDE 0682 PART 201) |
| | DIN ISO 5745 |

UNIFOX-C VDE M - Combination pliers



1212834

<https://www.phoenixcontact.com/us/products/1212834>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 21043809 |
| ECLASS-15.0 | 21043809 |

ETIM

| | |
|-----------|----------|
| ETIM 10.0 | EC000836 |
|-----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 27112100 |
|-------------|----------|

UNIFOX-C VDE M - Combination pliers



1212834

<https://www.phoenixcontact.com/us/products/1212834>

Environmental product compliance

EU RoHS

| | |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|

EU REACH SVHC

| | |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

EF3.1 Climate Change

| | |
|---------|---------------|
| CO2e kg | 1.922 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com