

# NS 15 BLK UNPERF 2000MM VPE 10 - DIN rail, unperforated



1401789

<https://www.phoenixcontact.com/us/products/1401789>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, unperforated, Pack of 10 (20 m), acc. to EN 60715, material: Steel, uncoated, Standard profile, color: white aluminum

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1401789       |
| Packing unit                         | 10 m          |
| Minimum order quantity               | 20 m          |
| Sales key                            | BE72          |
| Product key                          | BE7211        |
| GTIN                                 | 4017918155421 |
| Weight per piece (including packing) | 238 g         |
| Weight per piece (excluding packing) | 238 g         |
| Customs tariff number                | 72166190      |
| Country of origin                    | DE            |

# NS 15 BLK UNPERF 2000MM VPE 10 - DIN rail, unperforated

1401789


<https://www.phoenixcontact.com/us/products/1401789>

## Technical data

### Product properties

|              |          |
|--------------|----------|
| Product type | DIN rail |
|--------------|----------|

### Dimensions

|                     |  |
|---------------------|--|
| Dimensional drawing |  |
| Width               | 15 mm  |
| Depth               | 5.5 mm   |
| Length              | 2000 mm  |

### Material specifications

|          |                            |
|----------|----------------------------|
| Color    | white aluminium (RAL 9006) |
| Material | Steel                      |
| Coating  | uncoated                   |

### Standards and regulations

|                                  |                  |
|----------------------------------|------------------|
| Connection in acc. with standard | IEC / EN         |
| Tests                            | acc. to EN 60715 |

### Electrical tests

|                                  |                    |
|----------------------------------|--------------------|
| Short-time withstand current     |                    |
| Equivalent E-Cu cross-section    | 10 mm <sup>2</sup> |
| Short-time current resistance 1s | 1.2 kA             |

# NS 15 BLK UNPERF 2000MM VPE 10 - DIN rail, unperforated




1401789

<https://www.phoenixcontact.com/us/products/1401789>

## Drawings

Dimensional drawing



# NS 15 BLK UNPERF 2000MM VPE 10 - DIN rail, unperforated



1401789

<https://www.phoenixcontact.com/us/products/1401789>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27400602 |
| ECLASS-15.0 | 27400602 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC001285 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

# NS 15 BLK UNPERF 2000MM VPE 10 - DIN rail, unperforated



1401789

<https://www.phoenixcontact.com/us/products/1401789>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.1 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 0.868 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)