

# ASI SACB KABEL-ENDDICHTUNG - Seal



1692336

<https://www.phoenixcontact.com/us/products/1692336>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

End sealing for AS-Interface flat-ribbon conductor, can be used on both sides, color:Black



## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1692336       |
| Packing unit                         | 100 pc        |
| Minimum order quantity               | 100 pc        |
| Sales key                            | BF46          |
| Product key                          | AF3ZAX        |
| GTIN                                 | 4017918446499 |
| Weight per piece (including packing) | 0.39 g        |
| Weight per piece (excluding packing) | 0.239 g       |
| Customs tariff number                | 40169300      |
| Country of origin                    | IT            |

1692336

<https://www.phoenixcontact.com/us/products/1692336>

## Technical data

### Product properties

|              |      |
|--------------|------|
| Product type | Seal |
|--------------|------|

### Material specifications

|               |     |
|---------------|-----|
| Seal material | TPE |
|---------------|-----|

### Cable/line

|                    |                    |
|--------------------|--------------------|
| Other resistance   | Resistant to ozone |
| Special properties | FDA compliant      |

### Environmental and real-life conditions

#### Ambient conditions

|   |                          |
|---|--------------------------|
| Ambient temperature (operation) (male connector/female connector) | -40 °C ... 110 °C (Seal) |
|---|--------------------------|

### Standards and regulations

|                  |                    |
|------------------|--------------------|
| Other resistance | Resistant to ozone |
|------------------|--------------------|

# ASI SACB KABEL-ENDDICHTUNG - Seal




1692336

<https://www.phoenixcontact.com/us/products/1692336>

## Drawings

Dimensional drawing



# ASI SACB KABEL-ENDDICHTUNG - Seal



1692336

<https://www.phoenixcontact.com/us/products/1692336>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27440192 |
| ECLASS-15.0 | 27440192 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC002943 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

1692336

<https://www.phoenixcontact.com/us/products/1692336>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.1 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 0.145 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)