

## Screwdriver - SZS 1,0X6,5 VDE - 1205079

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screwdriver, slot-headed, VDE insulated, size: 1.0 x 6.5 x 150 mm, 2-component grip, with non-slip grip

### Your advantages

- ✓ For working on or in the vicinity of live parts up to 1000 V AC or 1500 V DC
- ✓ The tools feature ergonomic two-component safety handles
- ✓ Large contact surface of blades inside screw head
- ✓ Individually tested safety screwdrivers according to DIN EN 60900 (VDE 0682-201)

### Key Commercial Data

Packing unit	10 pc
GTIN	 4 017918 019112
GTIN	4017918019112

### Technical data

#### Dimensions

Length (b)	248 mm
Width (a)	33 mm
Blade thickness	1 mm
Blade width	6.5 mm
Blade height	150 mm
Wrench size	0 mm

#### General

Type	Bladed
Material	alloyed tool steel
Test standard	DIN/ISO 2380-1 IEC 60900:2004
Weight	80 g

#### Standards and Regulations

Test standard	DIN/ISO 2380-1 IEC 60900:2004
---------------	-------------------------------

#### Environmental Product Compliance

# Screwdriver - SZS 1,0X6,5 VDE - 1205079

## Technical data

### Environmental Product Compliance


California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

## Drawings

Pictogram



Dimensional drawing



## Classifications

### eCl@ss

eCl@ss 10.0.1	21040407
eCl@ss 11.0	21040407
eCl@ss 4.0	21040400
eCl@ss 4.1	21040400
eCl@ss 5.0	21040400
eCl@ss 5.1	21040400
eCl@ss 6.0	21040400
eCl@ss 7.0	21040407
eCl@ss 9.0	21040407

### ETIM

ETIM 2.0	EC000158
ETIM 3.0	EC000158
ETIM 4.0	EC000158
ETIM 6.0	EC000158
ETIM 7.0	EC000158

### UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

# Screwdriver - SZS 1,0X6,5 VDE - 1205079

## Classifications

### UNSPSC

UNSPSC 18.0	27111701
UNSPSC 19.0	27111701
UNSPSC 20.0	27111701

## Approvals

### Approvals

#### Approvals

EAC / VDE Zeichengenehmigung

#### Ex Approvals

### Approval details

EAC		RU x- DE.xx08.B.02974
-----	--	--------------------------

VDE Zeichengenehmigung		<a href="http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx">http://www2.vde.com/de/Institut/Online-Service/ VDE-gepruefteProdukte/Seiten/Online-Suche.aspx</a>	086858
------------------------	--	--	--------

Phoenix Contact 2022 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>