GPAL 500X500X1,5 SR/BK/GD - Engraving plate for outdoor use

0814047

https://www.phoenixcontact.com/us/products/0814047

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Engraving plate for outdoor use, Plate, Mixed color, unmarked, can be labeled with: P1 ENGRAVING UNIT, ENGRAVING UNIT, mounting type: screw, rivet, text field height: 500 mm, text field width: 500 mm

Commercial data

Item number	0814047
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BG19
Product key	BG2415
GTIN	4017918977764
Weight per piece (including packing)	754 g
Weight per piece (excluding packing)	610 g
Customs tariff number	76169990
Country of origin	DE

Technical data

Product properties

Product type	Device marker

Marking

Identification technology	Engraving

Dimensions

Width	500 mm
Length	500 mm

Text field

Text field width	500 mm
Text field height	500 mm

Material specifications

Color	multicolored (RAL -)
	black (RAL 9005)

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C ... 85 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

UV resistance

Specification	ISO 4892-2:2013-03 (following)

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07

Mounting

Mounting type	screw, rivet

Classifications

ECLASS

ECLASS-13.0	27281103

ETIM

ETIM 9.0	EC001288

UNSPSC

UNSPSC 21.0	39131500

GPAL 500X500X1,5 SR/BK/GD - Engraving plate for outdoor use

0814047

https://www.phoenixcontact.com/us/products/0814047

Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com