

US-TM 100 CUS - Marker for terminal blocks



0829948

<https://www.phoenixcontact.com/us/products/0829948>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Marker for terminal blocks, Card, can be ordered: by card, white (RAL 9010), labeled according to customer specifications, mounting type: snap into universal marker groove, Number of individual labels: 13, text field height: 9.8 mm, text field width: 104 mm



Your advantages

- The cards provide space for including function texts
- Labeling service: Phoenix Contact can custom-label all UniSheet markers according to your requirements
- The perforated marking strips are easy to separate and can be easily fitted
- The US-TM 100 UniSheet markers are suitable for products with universal marker grooves

Commercial data

| | |
|--------------------------------------|--------------------------------|
| Item number | 0829948 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Product key | BG8119 |
| GTIN | 4046356609982 |
| Weight per piece (including packing) | 15.414 g |
| Weight per piece (excluding packing) | 15.28 g |
| Country of origin | PL |

US-TM 100 CUS - Marker for terminal blocks



0829948

<https://www.phoenixcontact.com/us/products/0829948>

Technical data

Product properties

| | |
|--------------|-----------------|
| Product type | Terminal marker |
|--------------|-----------------|

Marking

| | |
|-------------------------------------|------------------------------------|
| Number of individual labels | 13 |
| Number of individual labels per row | 1 |
| Slot type | flat |
| Identification technology | Thermotransfer, UV-LED-Technologie |

Dimensions

| | |
|--------|-----------|
| Width | 104.00 mm |
| Height | 9.50 mm |
| Depth | 0.50 mm |
| Length | 9.8 mm |

Text field

| | |
|-------------------|--------|
| Text field width | 104 mm |
| Text field height | 9.8 mm |

Material specifications

| | |
|--|------------------|
| Color | white (RAL 9010) |
| Material | PVC |
| | PVC |
| Flammability rating according to UL 94 | V0 |
| Base element material | PVC |
| Components | Silicone-free |

Environmental and real-life conditions

Ambient conditions

| | |
|---|---|
| Ambient temperature (operation) | -30 °C ... 80 °C |
| Recommended ambient temperature (storage/transport) | 23 °C |
| Recommended humidity (storage/transport) | 50 % (Storage in a dry and dark place in the original packaging is recommended) |

Test for substances that would hinder coating with paint or varnish

| | |
|---|----------------------|
| Testing for paint wetting impairment substances (LABS-conformity) | VW PV 3.10.7:2005-02 |
| Result | Test passed |

UV resistance

| | |
|---------------|---------------------------------------|
| Specification | DIN EN ISO 4892-2:2021-11 (following) |
| Result | Test passed |
| Test duration | 96 h |

US-TM 100 CUS - Marker for terminal blocks



0829948

<https://www.phoenixcontact.com/us/products/0829948>

Wipe resistance of inscriptions

| | |
|---------------|--|
| Specification | DIN EN 61010-1 (VDE 0411-01):2020-03 |
| | DIN EN 62208 (VDE 0660-511):2012-06 (in parts) |

Standards and regulations

| | |
|-----------------|-----------------------------|
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|-----------------|-----------------------------|

Mounting

| | |
|---------------|-----------------------------------|
| Mounting type | snap into universal marker groove |
|---------------|-----------------------------------|

US-TM 100 CUS - Marker for terminal blocks

0829948

<https://www.phoenixcontact.com/us/products/0829948>

Drawings

Schematic diagram



- ① Horizontal
- ② Vertical

US-TM 100 CUS - Marker for terminal blocks



0829948

<https://www.phoenixcontact.com/us/products/0829948>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 27281101 |
| ECLASS-15.0 | 27281101 |

ETIM

| | |
|-----------|----------|
| ETIM 10.0 | EC000761 |
|-----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39131500 |
|-------------|----------|

US-TM 100 CUS - Marker for terminal blocks



0829948

<https://www.phoenixcontact.com/us/products/0829948>

Environmental product compliance

EU RoHS

| | |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

EU REACH SVHC

| | |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com