

S-II-25 A/500 V - Fuse insert

0913663

<https://www.phoenixcontact.com/us/products/0913663>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Fuse insert, nom. voltage: 500 V, nominal current: 25 A, diameter: 22 mm, color: yellow



Your advantages

- Contains no lead, cadmium, chromium 6 (RoHS-compliant)
- Colored indicating pins on the butt contact show the operating state
- DIAZED® fuse-links with gG characteristic for protecting lines and equipment
- Safe shutoff of impermissible overcurrents and short-circuit currents up to the nominal shutoff current

Commercial data

Item number	0913663
Packing unit	5 pc
Sales key	BE19
Product key	BE1Z4X
GTIN	4017918008635
Weight per piece (including packing)	32.5 g
Weight per piece (excluding packing)	32.5 g
Customs tariff number	85361050
Country of origin	HU

S-II-25 A/500 V - Fuse insert



0913663

<https://www.phoenixcontact.com/us/products/0913663>

Technical data

Product properties

Product type	Fuse
--------------	------

Electrical properties

Nominal current I_N	25 A
Fuse	25 A gL/gG DIAZED (without fault display)

Connection data

Nominal current	25 A
Nominal voltage	500 V AC/DC

Dimensions

Diameter	22 mm
----------	-------

Material specifications

Color	yellow
-------	--------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

S-II-25 A/500 V - Fuse insert



0913663

<https://www.phoenixcontact.com/us/products/0913663>

Classifications

UNSPSC

UNSPSC 21.0	39121600
-------------	----------

S-II-25 A/500 V - Fuse insert



0913663

<https://www.phoenixcontact.com/us/products/0913663>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com