EM-CPS-DA-22,5F/16A - Adapter

1002668

https://www.phoenixcontact.com/us/products/1002668

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device adapter with fuse holder for 16 A fuse (10x38/Class CC), CrossLink® interface and fixed DIN rail

Your advantages

- Cable ends ultrasound-compressed
- Snap-on mechanism for quick and easy attachment to the CrossPowerSystem power distribution board

Commercial data

Item number	1002668
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	DK7832
GTIN	4055626468105
Weight per piece (including packing)	128.9 g
Weight per piece (excluding packing)	126.5 g
Customs tariff number	85369095
Country of origin	DE

Technical data

Notes

Order information:	Fuses not included with delivery. Suitable fuses are to be found under accessories.

Product properties

Product type	Adapter
Product family	CrossPowerSystem
Application	Device adapter

Electrical properties

Rated voltage	690 V AC (IEC)
	600 V AC (UL)
Rated current	16 A (IEC)
	12.5 A (UL)
Rated surge voltage	6 kV

Dimensions

Width	22.5 mm
Height	160 mm

Approvals

UL data

SCCR	50 kA (Class CC 20 A / 600 V AC)

Classifications

ECLASS

ECLASS-13.0	27371392

ETIM

ETIM 9.0	EC002498

UNSPSC

UNSPSC 21.0	39121100

Environmental product compliance

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com