

SACC-DSI-FS-8CON-L180 SCO WN - Device connector rear mounting



1018739

<https://www.phoenixcontact.com/us/products/1018739>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device connector rear mounting, 8-position, Socket, M12-SPEEDCON, A-coding, Wave soldering, this item is expected to be lead-free from Q2 2026 in accordance with RoHS II without exception 6c (Pb < 0.1%), a lead-free alternative is possible on request in advance

Commercial data

Item number	1018739
Packing unit	20 pc
Minimum order quantity	100 pc
Note	Made to order (non-returnable)
Product key	ABQEHL
GTIN	4055626503998
Weight per piece (including packing)	10.925 g
Weight per piece (excluding packing)	9.919 g
Country of origin	DE

SACC-DSI-FS-8CON-L180 SCO WN - Device connector rear mounting



1018739

<https://www.phoenixcontact.com/us/products/1018739>

Technical data

Mounting

Mounting type	Rear mounting (Pg9)
---------------	---------------------

Product properties

Product type	Circular connectors (device side)
Number of positions	8
Coding	A
Thread type	M12

Material specifications

Material Housing	GD-Zn
Material Housing surface	Ni
Material Contact carrier	PA 6.6
Material Contact surface	Au

Connection data

Conductor connection

Connection method	Wave soldering
Contact connection type	Socket

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	> 100
-----------------------------	-------

Connector

Connection 1

Head design	Socket
Head thread type	M12
Head locking type	SPEEDCON
Coding	A

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67 (When plugged in)
	IP65 (When plugged in)
UL Type Rating	Type 4 (indoor use only)


SACC-DSI-FS-8CON-L180 SCO WN - Device connector rear mounting

1018739

<https://www.phoenixcontact.com/us/products/1018739>

Drawings

Schematic diagram



Pin assignment M12 socket, 8-pos., A-coded, view female side

SACC-DSI-FS-8CON-L180 SCO WN - Device connector rear mounting



1018739

<https://www.phoenixcontact.com/us/products/1018739>

Classifications

ECLASS

ECLASS-13.0	27440110
ECLASS-15.0	27440110

ETIM

ETIM 10.0	EC003568
-----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SACC-DSI-FS-8CON-L180 SCO WN - Device connector rear mounting



1018739

<https://www.phoenixcontact.com/us/products/1018739>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	fd24b7a5-0773-4cae-a07a-6d43a84186b1

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com