

EV-T2CCS-MF-M4X45 - Repair kit



1081734

<https://www.phoenixcontact.com/us/products/1081734>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



CHARX connect standard, CCS type 2, Repair kit, Accessories, housing: black, with replaceable mating face frame, with 5x M4X45 rounded head screws with Torx security drive, for replacement of the mating face frame of vehicle charging connectors, IEC 62196-3, The vehicle connector housing does not have to be opened in order to replace the mating face frame.

Product description

Repair kit with replaceable mating face frame for CCS type 2 DC vehicle connector

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 1081734 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | EM01 |
| Product key | XWBMFY |
| GTIN | 4055626811116 |
| Weight per piece (including packing) | 210 g |
| Weight per piece (excluding packing) | 128 g |
| Customs tariff number | 85389099 |
| Country of origin | PL |

EV-T2CCS-MF-M4X45 - Repair kit



1081734

<https://www.phoenixcontact.com/us/products/1081734>

Technical data

Notes

| | |
|---------|---|
| General | The vehicle connector housing does not have to be opened in order to replace the mating face frame. |
|---------|---|

Product properties

| | |
|-------------------|--|
| Product type | Repair kit |
| Product family | CHARX connect standard |
| Type | Accessories |
| Design | with replaceable mating face frame with 5x M4X45 rounded head screws with Torx security drive |
| Charging standard | CCS type 2 |
| Charging mode | Mode 4 |

Material specifications

| | |
|------------------------|--------------|
| Color (Housing) | black (9005) |
| Color (Handle area) | gray (7042) |
| Color (Mating face) | black (9005) |
| Color (Protective cap) | black (9005) |
| Color (Cable) | black (9005) |

Environmental and real-life conditions

Ambient conditions

| | |
|---|------------------|
| Ambient temperature (operation) | -30 °C ... 50 °C |
| Ambient temperature (storage/transport) | -40 °C ... 80 °C |

Standards and regulations

Standards

| | |
|-----------------------|-------------|
| Standards/regulations | IEC 62196-3 |
|-----------------------|-------------|

EV-T2CCS-MF-M4X45 - Repair kit



1081734

<https://www.phoenixcontact.com/us/products/1081734>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 27144792 |
| ECLASS-15.0 | 27144792 |

ETIM

| | |
|-----------|----------|
| ETIM 10.0 | EC002884 |
|-----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121500 |
|-------------|----------|

EV-T2CCS-MF-M4X45 - Repair kit



1081734

<https://www.phoenixcontact.com/us/products/1081734>

Environmental product compliance

EU RoHS

| | |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|

EU REACH SVHC

| | |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com