

AS-WB-F/HOLDER 185X285 - Workbench equipment carrier



1193815

<https://www.phoenixcontact.com/us/products/1193815>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device carrier with locking ring for the height and angle-adjustable positioning of automatic tools on the AS-WORKBENCH-F ...

Your advantages

- Additional safeguard against slipping with fixable locking ring

Commercial data

Item number	1193815
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BH2XX1
GTIN	4063151245993
Weight per piece (including packing)	4.4 kg
Weight per piece (excluding packing)	4 kg
Country of origin	DE

AS-WB-F/HOLDER 185X285 - Workbench equipment carrier



1193815

<https://www.phoenixcontact.com/us/products/1193815>

Technical data

Product properties

Product type	Workbench equipment carrier
--------------	-----------------------------

Dimensions

Width	185 mm
Height	520 mm
Length	285 mm

Material specifications

Color	anthracite gray (RAL 7016)
-------	----------------------------

AS-WB-F/HOLDER 185X285 - Workbench equipment carrier



1193815

<https://www.phoenixcontact.com/us/products/1193815>

Classifications

ECLASS

ECLASS-15.0	21100210
ECLASS-13.0	21100210

ETIM

ETIM 10.0	EC011819
-----------	----------

UNSPSC

UNSPSC 21.0	22101500
-------------	----------

AS-WB-F/HOLDER 185X285 - Workbench equipment carrier



1193815
<https://www.phoenixcontact.com/us/products/1193815>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com