

# THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Perforation cutter for all shrink sleeve and marking sleeve versions in continuous format for cutting custom lengths

## Product description

Using the cutter and perforation cutter, shrink sleeves and marking sleeves in continuous format are perforated at custom lengths, so that these sections can be conveniently separated in sequence during subsequent mounting. This makes it possible to produce a whole strand of connected individual markers that are automatically cut off at the end. The appropriate configuration functions for this are provided in the marking software. The THERMOMARK E.CUTTER/P cutter and perforation cutter can be used with all THERMOMARK E SERIES roll printers and with the THERMOMARK ROLLMASTER 300/600.

For a detailed list of all compatible marking systems, go to "Technical data".

## Your advantages

- Maximum flexibility: creation of custom individual markers from continuous materials
- Variable lengths can be cut between 3.45 mm/0.14" ... 2000 mm/78.74"
- For all shrink sleeves and marking sleeves in continuous format: WMS..., WMS-2 HF..., and WMS-OT HF...
- Perforations make it very easy for the individual markers to be separated and mounted in sequence
- Quick and easy mounting of the cutter on the printer
- The cutter can be moved out of the way for convenient material change



## Commercial data

Item number	1201336
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG03

# THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

Product key	BG122Z
GTIN	4063151265441
Weight per piece (including packing)	1,378 g
Weight per piece (excluding packing)	992.1 g
Customs tariff number	84439990
Country of origin	DE

# THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

## Technical data

### Product properties

Product type	Printing system accessories
--------------	-----------------------------

### Marking

Identification technology	Thermotransfer
---------------------------	----------------

# THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1201336>



**EAC**

Approval ID: KZ 27978

# THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

## Classifications

### ECLASS

ECLASS-13.0	19140620
ECLASS-15.0	19140620

### ETIM

ETIM 10.0	EC001675
-----------	----------

### UNSPSC

UNSPSC 21.0	43211600
-------------	----------

# THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	7(c)-I

### China RoHS

Environment friendly use period (EFUP)	EFUP-10
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)