

# NS 15 UNPERF 500MM - DIN rail, unperforated



1207642

<https://www.phoenixcontact.com/us/products/1207642>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, unperforated, acc. to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver-colored

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1207642       |
| Packing unit                         | 20 pc         |
| Minimum order quantity               | 20 pc         |
| Sales key                            | BH84          |
| Product key                          | BH8421        |
| GTIN                                 | 4046356366007 |
| Weight per piece (including packing) | 999 g         |
| Weight per piece (excluding packing) | 999 g         |
| Customs tariff number                | 72166190      |
| Country of origin                    | DE            |

# NS 15 UNPERF 500MM - DIN rail, unperforated



1207642


<https://www.phoenixcontact.com/us/products/1207642>

## Technical data

### Product properties

|              |          |
|--------------|----------|
| Product type | DIN rail |
|--------------|----------|

### Dimensions

|                     |  |
|---------------------|--|
| Dimensional drawing |  |
| Width               | 15 mm  |
| Hole width          | 0 mm   |
| Hole height         | 0 mm   |
| Depth               | 5.5 mm   |
| Length              | 500 mm   |
| Drill hole spacing  | 0 mm   |

### Material specifications

|          |   |
|----------|---|
| Color    | silver-colored                            |
| Material | Steel                                     |
| Coating  | galvanized, passivated with a thick layer |

### Standards and regulations

|                                  |                  |
|----------------------------------|------------------|
| Connection in acc. with standard | IEC / EN         |
| Tests                            | acc. to EN 60715 |

### Electrical tests

#### Short-time withstand current

|                                  |                    |
|----------------------------------|--------------------|
| Equivalent E-Cu cross-section    | 10 mm <sup>2</sup> |
| Short-time current resistance 1s | 1.2 kA             |

# NS 15 UNPERF 500MM - DIN rail, unperforated



1207642

<https://www.phoenixcontact.com/us/products/1207642>



## Drawings

Dimensional drawing



# NS 15 UNPERF 500MM - DIN rail, unperforated



1207642

<https://www.phoenixcontact.com/us/products/1207642>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27400602 |
| ECLASS-15.0 | 27400602 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC001285 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

# NS 15 UNPERF 500MM - DIN rail, unperforated



1207642

<https://www.phoenixcontact.com/us/products/1207642>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)