

# NS 35/15 PERF 1000MM - DIN rail perforated



1207658

<https://www.phoenixcontact.com/us/products/1207658>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, similar to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1207658       |
| Packing unit                         | 10 pc         |
| Minimum order quantity               | 20 pc         |
| Sales key                            | BE72          |
| Product key                          | BE7244        |
| GTIN                                 | 4046356366564 |
| Weight per piece (including packing) | 625 g         |
| Weight per piece (excluding packing) | 625 g         |
| Customs tariff number                | 72166190      |
| Country of origin                    | DE            |

# NS 35/15 PERF 1000MM - DIN rail perforated



1207658


<https://www.phoenixcontact.com/us/products/1207658>

## Technical data

### Product properties

|              |          |
|--------------|----------|
| Product type | DIN rail |
|--------------|----------|

### Dimensions

|                     |   |
|---------------------|---|
| Dimensional drawing |  |
| Width               | 35 mm   |
| Hole width          | 15 mm   |
| Hole height         | 6.2 mm  |
| Depth               | 15 mm   |
| Length              | 1000 mm   |
| Drill hole spacing  | 25 mm   |

### Material specifications

|          |   |
|----------|---|
| Color    | silver-colored                            |
| Material | Steel                                     |
| Coating  | galvanized, passivated with a thick layer |

### Standards and regulations

|                                  |                     |
|----------------------------------|---------------------|
| Connection in acc. with standard | IEC / EN            |
| Tests                            | similar to EN 60715 |

### Electrical tests

|                                  |                    |
|----------------------------------|--------------------|
| Short-time withstand current     |                    |
| Equivalent E-Cu cross-section    | 25 mm <sup>2</sup> |
| Short-time current resistance 1s | 3 kA               |

# NS 35/15 PERF 1000MM - DIN rail perforated




1207658

<https://www.phoenixcontact.com/us/products/1207658>

## Drawings

Dimensional drawing



# NS 35/15 PERF 1000MM - DIN rail perforated



1207658

<https://www.phoenixcontact.com/us/products/1207658>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27400602 |
| ECLASS-15.0 | 27400602 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC001285 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

# NS 35/15 PERF 1000MM - DIN rail perforated



1207658

<https://www.phoenixcontact.com/us/products/1207658>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)