

CF 1000-1,5 120V - Tool



1208209

<https://www.phoenixcontact.com/us/products/1208209>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Automatic stripping and crimping device, 120 V version, for insulated ferrules with a cross-section range from 0.5 mm² ... 2.5 mm², according to DIN 46228-4: 1990-09

Your advantages

- Quantity counter
- The conductor is stripped in a single step and crimped with a ferrule to a high standard of quality
- The pull-out forces meet the requirements of IEC/EN 60999 and IEC/EN 60947
- The automatic stripping and crimping device can be used to process loose ferrules with insulating collars according to DIN 46228-4
- Quick change of cross section without the need for additional adjustments
- Suitable for bulk processing
- Rugged design

Commercial data

Item number	1208209
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	NULL
Product key	BH3232
GTIN	4046356011358
Weight per piece (including packing)	99 g
Weight per piece (excluding packing)	99 g
Customs tariff number	84798100
Country of origin	DE

CF 1000-1,5 120V - Tool

1208209

<https://www.phoenixcontact.com/us/products/1208209>



Technical data

Product properties

Compression	trapezoidal
Air consumption per compression	1.2 l

Electrical properties

Supply

Supply voltage	120 V
----------------	-------

Connection data

Conductor cross-section flexible	0.34 mm ² ... 4 mm ²
----------------------------------	--

Dimensions

Width	240 mm
Height	390 mm
Length	490 mm

Standards and regulations

Tests	DIN 46228-4: 1990-09
-------	----------------------

CF 1000-1,5 120V - Tool

1208209

<https://www.phoenixcontact.com/us/products/1208209>



Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)	
-------------------------------------	--

	No substance above 0.1 wt%
--	----------------------------

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com