

# TSD-M SAC-BIT ADAPTER - Adapter insert



1212600

<https://www.phoenixcontact.com/us/products/1212600>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

## Your advantages

- The TSD-M... adapters can accommodate the various nuts
- For the TSD-M... torque screwdrivers the torque can be set individually
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- Wide range of SAC... nuts for various different applications

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1212600       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | BH31          |
| Product key                          | BH3149        |
| GTIN                                 | 4046356590747 |
| Weight per piece (including packing) | 18.5 g        |
| Weight per piece (excluding packing) | 18.4 g        |
| Customs tariff number                | 82079030      |
| Country of origin                    | CZ            |

# TSD-M SAC-BIT ADAPTER - Adapter insert



1212600

<https://www.phoenixcontact.com/us/products/1212600>

## Technical data

### Notes

#### Environmental Product Compliance

|                           |   |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

### Product properties

|              |                   |
|--------------|-------------------|
| Product type | Screwdriver tools |
| Type         | Hexagonal SW4     |

### Connection data

|        |                        |
|--------|------------------------|
| Output | universal, replaceable |
|--------|------------------------|

### Dimensions

|              |        |
|--------------|--------|
| Blade height | 100 mm |
|--------------|--------|

### Material specifications

|          |                    |
|----------|--------------------|
| Color    | silver             |
| Material | alloyed tool steel |

### Standards and regulations

|       |          |
|-------|----------|
| Tests | DIN 3126 |
|-------|----------|

# TSD-M SAC-BIT ADAPTER - Adapter insert



1212600

<https://www.phoenixcontact.com/us/products/1212600>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1212600>



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# TSD-M SAC-BIT ADAPTER - Adapter insert



1212600

<https://www.phoenixcontact.com/us/products/1212600>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 21045191 |
| ECLASS-15.0 | 21045191 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC011822 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111700 |
|-------------|----------|

# TSD-M SAC-BIT ADAPTER - Adapter insert



1212600

<https://www.phoenixcontact.com/us/products/1212600>

## Environmental product compliance

### EU RoHS

|   |   |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.1 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 0.808 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)