# PROT-M12 MS-M-CHAIN PPI - Sealing cap

1320659

https://www.phoenixcontact.com/us/products/1320659

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

An M12 screw plug for the unoccupied M12 sockets of the shielded sensor/actuator cable, boxes and flush-type connectors



The figure shows the housing version

## Your advantages

- Reliable protection of unoccupied slots during transport and use in the field
- Protected against splash water and dust by the internal seal
- Easy assembly by hand or using a wrench

## Commercial data

| | |
|---|---|
| Item number | 1320659 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | AB27 |
| Product key | ABQZAB |
| GTIN | 4063151605988 |
| Weight per piece (including packing) | 18 g |
| Weight per piece (excluding packing) | 13.22 g |
| Customs tariff number | 74198090 |
| Country of origin | DE |

# Technical data

## Product properties

| | |
|---|---|
| Product type | Protective cap |
| Thread type | M12 |

## Connection data

| | |
|---|---|
| Tightening torque | 0.4 Nm |

## Material specifications

| | |
|---|---|
| Material | CuZn/Ni (Chain) |
| Material for screw connection | Brass |

## Environmental and real-life conditions

### Ambient conditions

| | |
|---|---|
| Degree of protection | IP65 (When installed) |
| | IP67 (When installed) |
| | IP69K (When installed) |
| Ambient temperature (operation) (male connector/female connector) | -40 °C ... 85 °C |

## Classifications

### ECLASS

| | |
|---|---|
| ECLASS-13.0 | 27440208 |
| ECLASS-15.0 | 27440208 |

### ETIM

| | |
|---|---|
| ETIM 10.0 | EC002314 |

### UNSPSC

| | |
|---|---|
| UNSPSC 21.0 | 31261500 |

## Environmental product compliance

EU RoHS

| | |
|---|---|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |

China RoHS

| | |
|---|---|
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |

EU REACH SVHC

| | |
|---|---|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |


Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com



Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com