

# HC-COM-K-KV-PG16(9-12) SML - Screw connection



1409286

<https://www.phoenixcontact.com/us/products/1409286>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Pg16 screw connection accessories for box mounting base with cable diameter 9 mm ... 12 mm



## Commercial data

Item number	1409286
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF66
Product key	AF7AAZ
GTIN	4046356634670
Weight per piece (including packing)	8.69 g
Weight per piece (excluding packing)	8.69 g
Customs tariff number	39269097
Country of origin	DE

# HC-COM-K-KV-PG16(9-12) SML - Screw connection



1409286

<https://www.phoenixcontact.com/us/products/1409286>

## Technical data

### Product properties

Product type	Half screw connection
No. of conductors	1

### Dimensions

Width	29.5 mm
Height	29.5 mm
Depth	14 mm
Wrench size, union nut	27 mm
Thread type on seal side	Pg16

### Material specifications

Material Pressure screw	PA
Seal material Cable seal	TPE-V
Material for screw connection	PA

### Cable/line

External cable diameter	9 mm ... 12 mm
External cable diameter	9 mm ... 12 mm

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65
	IP66
Ambient temperature (operation)	-40 °C ... 100 °C

### Mounting

Assembly note	Only for item 1408371
---------------	-----------------------

# HC-COM-K-KV-PG16(9-12) SML - Screw connection



1409286

<https://www.phoenixcontact.com/us/products/1409286>

## Classifications

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

1409286

<https://www.phoenixcontact.com/us/products/1409286>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)