

PLD E 409 CLP/M - Holder

1531603

<https://www.phoenixcontact.com/us/products/1531603>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Replacement magnetic holder (1 pair) for PLD E 409 W 350 and PLD E 409 W 350 MS LED enclosure lights



Product description

You can use the holder to secure the light with magnets or screws. The light can swivel in the holder.

Commercial data

Item number	1531603
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DR08
Product key	DRL23Z
GTIN	4067923001640
Weight per piece (including packing)	46.233 g
Weight per piece (excluding packing)	30 g
Customs tariff number	85059029
Country of origin	DE

1531603

<https://www.phoenixcontact.com/us/products/1531603>

Technical data

Product properties

Product type	Mounting material
Application	Control cabinet
Special properties	can be swiveled ($\pm 90^\circ$ swivel range)

Dimensions

Width	39 mm
Height	45 mm

Material specifications

Color	transparent
Material	Polycarbonate
Housing material	PC

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C ... 60 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C
	-40 °C ... 85 °C

Mounting

Mounting type	Screw mounting
	Magnet mounting

PLD E 409 CLP/M - Holder

1531603

<https://www.phoenixcontact.com/us/products/1531603>



Classifications

ECLASS

ECLASS-13.0	27111126
ECLASS-15.0	27111126

ETIM

ETIM 10.0	EC002557
-----------	----------

UNSPSC

UNSPSC 21.0	39111500
-------------	----------

PLD E 409 CLP/M - Holder



1531603

<https://www.phoenixcontact.com/us/products/1531603>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

EF3.1 Climate Change

CO2e kg	1.105 kg CO2e
---------	---------------

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com