

# SAC-M12-EXCLIP - Locking clip

1543773

<https://www.phoenixcontact.com/us/products/1543773>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Locking clip for the male and female side of sensor/actuator cables with straight M12 connector and M12 connectors designed for assembly featuring QUICKON fast connection technology, used to secure M12 connectors in areas with a danger of dust explosions in zone 22 in accordance with EN 50281-1-1

## Commercial data

Item number	1543773
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	BF46
Product key	AF1ZVX
GTIN	4046356106610
Weight per piece (including packing)	4.57 g
Weight per piece (excluding packing)	3.9 g
Customs tariff number	39269097
Country of origin	DE

# SAC-M12-EXCLIP - Locking clip



1543773

<https://www.phoenixcontact.com/us/products/1543773>

## Technical data

### Product properties

Product type	Mounting material
--------------	-------------------

### Material specifications

Material	PA
----------	----

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-25 °C ... 65 °C
	-25 °C ... 65 °C (for installation)

# SAC-M12-EXCLIP - Locking clip


1543773

<https://www.phoenixcontact.com/us/products/1543773>



## Drawings

Dimensional drawing



# SAC-M12-EXCLIP - Locking clip



1543773

<https://www.phoenixcontact.com/us/products/1543773>

## Classifications

### ECLASS

ECLASS-13.0	27440192
ECLASS-15.0	27440192

### ETIM

ETIM 10.0	EC002943
-----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# SAC-M12-EXCLIP - Locking clip



1543773

<https://www.phoenixcontact.com/us/products/1543773>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
-----------------------------------------	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

### EF3.1 Climate Change

CO2e kg	0.371 kg CO2e
---------	---------------

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)