SH-00000-PCB-EXTENDER - Assembly clip

1555726

https://www.phoenixcontact.com/us/products/1555726

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Extender to ensure air clearances and creepage distances, only suitable for use in M23 Hybrid



Your advantages

- Reliable transmission of signals, data, and power in a single connector
- 80% faster assembly and 60% less installation space compared to litz wire assemblies
- Cost reduction due to the elimination of additional PCB connectors
- Reduction of PCB complexity and EMC risks
- Elimination of work steps with high error potential

Commercial data

Item number	1555726
Packing unit	192 pc
Minimum order quantity	192 pc
Sales key	AB38
Product key	ABRCDX
GTIN	4067923035287
Weight per piece (including packing)	0.914 g
Weight per piece (excluding packing)	0.86 g
Customs tariff number	39269097
Country of origin	DE

Technical data

Notes

Order information:	only to be used with item number 1524754 or 1835953

Product properties

Series	SH

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 115 °C (see derating curve)

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1555726

cULus Recognized
Approval ID: E468743

Classifications

ECLASS

ECLASS-13.0	27440223
ECLASS-15.0	27440223

ETIM

ETIM 10.0	EC003557

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com