

Q-T-EDG-G - Insert seal

1580037

<https://www.phoenixcontact.com/us/products/1580037>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insert seal for QUICKON T-distributor, for IP65 sealing of thin power conductors (11.5 mm ... 14 mm)

Commercial data

Item number	1580037
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	BF50
Product key	AF6ZBX
GTIN	4046356131223
Weight per piece (including packing)	1.32 g
Weight per piece (excluding packing)	1.32 g
Customs tariff number	40169300
Country of origin	DE

Q-T-EDG-G - Insert seal

1580037

<https://www.phoenixcontact.com/us/products/1580037>



Technical data

Product properties

Product type	Seal
--------------	------

Material specifications

Color	black (RAL 9005)
Seal material	NBR

Cable/line

External cable diameter	11.5 mm ... 14 mm
-------------------------	-------------------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65
----------------------	------

Q-T-EDG-G - Insert seal

1580037

<https://www.phoenixcontact.com/us/products/1580037>



Classifications

ECLASS

ECLASS-13.0	27440192
ECLASS-15.0	27440192

ETIM

ETIM 10.0	EC002943
-----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Q-T-EDG-G - Insert seal



1580037

<https://www.phoenixcontact.com/us/products/1580037>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com