

# BC-Z2357 - Sealing cap

1590175

<https://www.phoenixcontact.com/us/products/1590175>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Sealing cap, this item is expected to be lead-free from Q2 2026 in accordance with RoHS II without exception 6c (Pb < 0.1%), a lead-free alternative is possible on request in advance



Similar figure

## Commercial data

Item number	1590175
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	ABQZAB
GTIN	4046356185967
Weight per piece (including packing)	10.22 g
Weight per piece (excluding packing)	9.827 g
Country of origin	DE

# BC-Z2357 - Sealing cap

1590175

<https://www.phoenixcontact.com/us/products/1590175>



## Technical data

### Product properties

Product type	Protective cap
--------------	----------------

# BC-Z2357 - Sealing cap



1590175

<https://www.phoenixcontact.com/us/products/1590175>

## Classifications

### ECLASS

ECLASS-13.0	27440208
ECLASS-15.0	27440208

### ETIM

ETIM 10.0	EC002314
-----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# BC-Z2357 - Sealing cap



1590175

<https://www.phoenixcontact.com/us/products/1590175>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

### China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

### EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	09f6264c-ce44-4d4d-a9aa-07e0fbee3e53

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)