

RC-09S1NC2E600 - Device connector rear mounting



1596445

<https://www.phoenixcontact.com/us/products/1596445>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device connector rear mounting, application: Signal, No. of pos.: 8+1, Direction of rotation: Standard, contact connection type: Socket, Solder-in connection, coding: N. This product is in the process of being discontinued. This product must no longer be considered for new projects. Please contact your sales representative for alternatives.

Commercial data

Item number	1596445
Packing unit	20 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAFR
GTIN	4046356211321
Weight per piece (including packing)	45.6 g
Weight per piece (excluding packing)	41.375 g
Country of origin	DE

RC-09S1NC2E600 - Device connector rear mounting



1596445

<https://www.phoenixcontact.com/us/products/1596445>

Technical data

Mounting

Mounting type	Rear mounting
---------------	---------------

Product properties

Product type	Circular connectors (device side)
--------------	-----------------------------------

Connector

Insulating body

Coding	N
Material (Insulating body)	PBT
Material (Contact)	CuZn
Material (Contact surface)	Ni/Au
Insertion/withdrawal cycles	50
Connection method	Solder-in connection
Contact switching type	Socket
Application	Signal
Number of positions	9
Direction of rotation	Standard
Connection profile	8+1
Number (Contact group 1)	1
Contact diameter (Contact group 1)	2 mm
Rated current Contact (Contact group 1)	20 A (for max. connection cross section)
Rated voltage Contact (Contact group 1)	48 V AC 74 V DC
Rated surge voltage	1.5 kV
Overvoltage category	III
Degree of pollution	3
Number (Contact group 2)	8
Contact diameter (Contact group 2)	1 mm
Rated current Contact (Contact group 2)	8 A (for max. connection cross section)
Rated voltage Contact (Contact group 2)	48 V AC 48 V AC


RC-09S1NC2E600 - Device connector rear mounting



1596445

<https://www.phoenixcontact.com/us/products/1596445>

Drawings




Dimensional drawing

RC-09S1NC2E600 - Device connector rear mounting

1596445

<https://www.phoenixcontact.com/us/products/1596445>

Schematic diagram




Connector pin assignment

RC-09S1NC2E600 - Device connector rear mounting

1596445

<https://www.phoenixcontact.com/us/products/1596445>

Drilling plan/solder pad geometry



1596445

<https://www.phoenixcontact.com/us/products/1596445>

Classifications

ECLASS

ECLASS-13.0	27440109
ECLASS-15.0	27440109

ETIM

ETIM 10.0	EC003569
-----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

1596445

<https://www.phoenixcontact.com/us/products/1596445>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	4a34828a-45f8-4bd7-be5f-aff1d9764a2f

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com