

SB-Z0016 - Crimping pliers

1624515

<https://www.phoenixcontact.com/us/products/1624515>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Manual crimping pliers for turned crimp contacts \varnothing 3.6 mm, litz wire cross section of 10 mm² ... 16 mm² without locator for axial stop

The illustration can vary depends on the configuration

Commercial data

Item number	1624515
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	AB36
Product key	ABRFAA
GTIN	4055626280387
Weight per piece (including packing)	1,014.2 g
Weight per piece (excluding packing)	22.22 g
Customs tariff number	82032000
Country of origin	DE

SB-Z0016 - Crimping pliers

1624515

<https://www.phoenixcontact.com/us/products/1624515>



Technical data

Product properties

Product type	Crimping tool
Crimping position 1	
Min. cross section	16 mm ²
Crimping position 2	
Max. cross section	10 mm ²

Connection data

Conductor connection	
Cross section range, metric	10 mm ² ... 16 mm ²

Dimensions

Length	210 mm
--------	--------

Material specifications

Flammability rating according to UL 94	V0
--	----

SB-Z0016 - Crimping pliers

1624515

<https://www.phoenixcontact.com/us/products/1624515>



Classifications

UNSPSC

UNSPSC 21.0	39121413
-------------	----------

SB-Z0016 - Crimping pliers



1624515

<https://www.phoenixcontact.com/us/products/1624515>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
---	---

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com