

# HC-SMP 125-B 16-AFQD - Connector component



1686177

<https://www.phoenixcontact.com/us/products/1686177>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON DIN rail mounting frame with panel mounting base for double locking latch with plastic protective cover, for contact inserts of type B16, 125 mm long.

## Commercial data

Item number	1686177
Packing unit	5 pc
Minimum order quantity	1 pc
Sales key	02
Product key	AF7AHA
GTIN	4017918438586
Weight per piece (including packing)	195.68 g
Weight per piece (excluding packing)	195.68 g
Country of origin	DE

# HC-SMP 125-B 16-AFQD - Connector component



1686177

<https://www.phoenixcontact.com/us/products/1686177>

## Technical data

### Notes

General	for B16, BB32, BBB64, D64, DD72, HS6, and HV6 contact inserts
---------	---

### Product properties

Product type	DIN rail mounting frame
Type	B16

### Material specifications

Flammability rating according to UL 94	HB
--	----

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 100 °C
---------------------------------	-------------------

# HC-SMP 125-B 16-AFQD - Connector component



1686177

<https://www.phoenixcontact.com/us/products/1686177>

## Classifications

### ECLASS

ECLASS-13.0	27440210
ECLASS-15.0	27440210

# HC-SMP 125-B 16-AFQD - Connector component



1686177

<https://www.phoenixcontact.com/us/products/1686177>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)