VS-15-A-EMV-S - Panel-mount frame

1688049

https://www.phoenixcontact.com/us/products/1688049

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

D-SUB EMC shroud, shell size 2, shielded, for panel mounting frame VS-15-...



Commercial data

Item number	1688049
Packing unit	5 pc
Minimum order quantity	1 pc
Sales key	AB19
Product key	ABNCBZ
GTIN	4017918182311
Weight per piece (including packing)	0.844 g
Weight per piece (excluding packing)	0.8 g
Customs tariff number	85389099
Country of origin	CZ

Technical data

Product properties

Product type	Panel-mount frame
Application	Shroud
Type	Shell size 2
Connection profile	D-SUB

Insulation characteristics

Degree of pollution	2

Electrical properties

Transmission medium	Copper

Dimensions

Width	0.6 mm
Height	44.3 mm
Length	17.5 mm

Material specifications

Color	Bare metallic
Material	Metal
Housing material	Metal
Housing surface material	nickel-plated

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	≥ 1000

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 80 °C

Mounting

Mounting type	Front mounting

Classifications

ECLASS

ECLASS-13.0	27440210
ECLASS-15.0	27440210

ETIM

ETIM 10.0	EC002310

UNSPSC

UNSPSC 21.0	31261500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

EF3.1 Climate Change

CO2e kg	0.344 kg CO2e

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com