ASI SACB KABEL-ENDDICHTUNG - Seal

1692336

https://www.phoenixcontact.com/us/products/1692336

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



End sealing for AS-Interface flat-ribbon conductor, can be used on both sides, color:Black

Commercial data

Item number	1692336
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BF46
Product key	AF3ZAX
GTIN	4017918446499
Weight per piece (including packing)	0.39 g
Weight per piece (excluding packing)	0.239 g
Customs tariff number	40169300
Country of origin	IT

Technical data

Product properties

Product type	Seal

Material specifications

Material grommet GRP	TPE

Cable/line

Other resistance	Resistant to ozone
Special properties	FDA compliant

Environmental and real-life conditions

Ambient conditions


Ambient temperature (operation) (male connector/female connector)	-40 °C ... 110 °C (Seal)

Standards and regulations

Other resistance	Resistant to ozone

Drawings

Dimensional drawing



Classifications

ECLASS

ECLASS-13.0	27440192
ECLASS-15.0	27440192

ETIM

ETIM 10.0	EC002943

UNSPSC

UNSPSC 21.0	39121400

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

EF3.1 Climate Change

CO2e kg	0.145 kg CO2e

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com