

# ME-SAS MINI - Shield connection clamp



2200456

<https://www.phoenixcontact.com/us/products/2200456>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Shield connection clamp for terminal points starting from 1.5 mm<sup>2</sup>



## Your advantages

- Safe discharge of interference signals
- Low transfer impedance due to large-surface shield connection
- Convenient mounting of the cable shielding

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 2200456       |
| Packing unit                         | 10 pc         |
| Minimum order quantity               | 10 pc         |
| Sales key                            | AC08          |
| Product key                          | ACHADZ        |
| GTIN                                 | 4046356584333 |
| Weight per piece (including packing) | 6.21 g        |
| Weight per piece (excluding packing) | 6.21 g        |
| Customs tariff number                | 73269098      |
| Country of origin                    | DE            |

# ME-SAS MINI - Shield connection clamp



2200456

<https://www.phoenixcontact.com/us/products/2200456>

## Technical data

### Product properties

|                |                   |
|----------------|-------------------|
| Product type   | Mounting material |
| Housing type   | DIN rail housing  |
| Housing series | ME                |

### Dimensions

|  |                       |
|--|-----------------------|
| Clamping range of the strain relief clip | ø 4.50 mm ... 8.00 mm |
|--|-----------------------|

### Material specifications

|                         |                |
|-------------------------|----------------|
| Color                   | silver-colored |
| Material Housing        | Steel          |
| Surface characteristics | galvanized     |

### Mounting

|               |                |
|---------------|----------------|
| Mounting type | Screw mounting |
|---------------|----------------|

# ME-SAS MINI - Shield connection clamp



2200456

<https://www.phoenixcontact.com/us/products/2200456>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27190605 |
| ECLASS-15.0 | 27190605 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC002779 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

# ME-SAS MINI - Shield connection clamp



2200456

<https://www.phoenixcontact.com/us/products/2200456>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)