

# UM-ALU 4 PE CONTACT - Grounding clip



2200973

<https://www.phoenixcontact.com/us/products/2200973>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Press-drawn section housings, Grounding clamp for integrating the basic profile into the potential equalization system via slip-on sleeves in accordance with DIN 46244, width: 17 mm



## Your advantages

- Aluminum extruded profile
- Variety of connection technology
- Can be mounted on the DIN rail
- Available in lengths from 42.5 mm ... 990 mm, can be cut to any length
- Available in overall widths of 75 mm and 105 mm
- EMC protection

## Commercial data

Item number	2200973
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	AC14
Product key	ACHDFZ
GTIN	4046356721158
Weight per piece (including packing)	2.15 g
Weight per piece (excluding packing)	2 g
Customs tariff number	76169910
Country of origin	HU

# UM-ALU 4 PE CONTACT - Grounding clip



2200973

<https://www.phoenixcontact.com/us/products/2200973>

## Technical data

### Product properties

Product type	Ground contact
Housing type	Press-drawn section housings
Housing series	UM-ALU
Product family	UM-ALU

### Dimensions

Width	17 mm
-------	-------

### Material specifications

Color	silver-colored
Material	Steel

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

# UM-ALU 4 PE CONTACT - Grounding clip



2200973

<https://www.phoenixcontact.com/us/products/2200973>

## Classifications

### ECLASS

ECLASS-15.0	27190605
ECLASS-13.0	27190605

### ETIM

ETIM 10.0	EC002779
-----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# UM-ALU 4 PE CONTACT - Grounding clip



2200973

<https://www.phoenixcontact.com/us/products/2200973>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

### EF3.1 Climate Change

CO2e kg	0.138 kg CO2e
---------	---------------

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)