UM-ALU 4 FOOT - Base latch

2200974

https://www.phoenixcontact.com/us/products/2200974

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Press-drawn section housings, Snap-on foot for DIN rail, incl. screw

Your advantages

- Aluminum extruded profile
- Variety of connection technology
- Can be mounted on the DIN rail
- Available in lengths from 42.5 mm ... 990 mm, can be cut to any length
- Available in overall widths of 75 mm and 105 mm
- EMC protection

Commercial data

Item number	2200974
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	AC14
Product key	ACHDFZ
GTIN	4046356721165
Weight per piece (including packing)	1.88 g
Weight per piece (excluding packing)	1.83 g
Customs tariff number	76161000
Country of origin	DE

Technical data

Product properties

Product type	Base latches
Housing type	Press-drawn section housings
Housing series	UM-ALU
Product family	UM-ALU

Material specifications

Material Housing	PA 6.6-FR

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C

Classifications

ECLASS

ECLASS-15.0	27190605
ECLASS-13.0	27190605

ETIM

ETIM 10.0	EC002779

UNSPSC

UNSPSC 21.0	31261500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

EF3.1 Climate Change

CO2e kg	0.006 kg CO2e

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com