

# UM-BASIC/PRO PE CONTACT L3 - Functional ground contact



2202027

<https://www.phoenixcontact.com/us/products/2202027>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



PE contact for UM-BASIC panel mounting base for connecting the PCB to the DIN rail at level 3

The figure shows the versions for PCB level 1

## Your advantages

- Different base profiles, each with three PCB levels
- Module covers of different geometries can be positioned in any way
- Compatibility with many standard connection technologies
- Easy device mounting thanks to snap-mount principle (the sides are fixed without the aid of tools)
- High degree of flexibility, thanks to freely positionable covering hoods

## Commercial data

Item number	2202027
Packing unit	20 pc
Minimum order quantity	20 pc
Note	Made to order (non-returnable)
Sales key	AC13
Product key	ACHDAC
GTIN	4055626005386
Weight per piece (including packing)	2.379 g
Weight per piece (excluding packing)	2.379 g
Customs tariff number	73269098
Country of origin	DE

# UM-BASIC/PRO PE CONTACT L3 - Functional ground contact



2202027

<https://www.phoenixcontact.com/us/products/2202027>

## Technical data

### Notes

Assembly note	Please observe the application note in the download area.
---------------	---

### Product properties

Product type	Ground contact
Housing type	Press-drawn section housings
Housing series	UM-BASIC

### Dimensions

Width	6 mm
Height	25.7 mm
Depth	20.8 mm

### Material specifications

Color	silver-colored
Housing material	Steel
Contact material	CuSn

### Mounting

Mounting type	Screw mounting
Tightening torque / speed	Mounting the PCB: 0.5 Nm-0.6 Nm / 500 rpm-1000 rpm
Tightening torque	0.5 Nm ... 0.6 Nm

# UM-BASIC/PRO PE CONTACT L3 - Functional ground contact



2202027

<https://www.phoenixcontact.com/us/products/2202027>

## Classifications

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# UM-BASIC/PRO PE CONTACT L3 - Functional ground contact



2202027

<https://www.phoenixcontact.com/us/products/2202027>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)