

# FUSSRIEGEL 14,4 L30 SPERR RD - Base latch



2202967

<https://www.phoenixcontact.com/us/products/2202967>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail housing for use in distribution boards in accordance with DIN 43880, Base latch, width: 14.4 mm, height: 29.8 mm, depth: 5.9 mm, color: red (similar RAL 3001)

## Commercial data

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item number                          | 2202967                        |
| Packing unit                         | 20 pc                          |
| Minimum order quantity               | 20 pc                          |
| Note                                 | Made to order (non-returnable) |
| Product key                          | ACHBAZ                         |
| GTIN                                 | 4055626303208                  |
| Weight per piece (including packing) | 1.35 g                         |
| Weight per piece (excluding packing) | 1.25 g                         |
| Country of origin                    | DE                             |

# FUSSRIEGEL 14,4 L30 SPERR RD - Base latch



2202967

<https://www.phoenixcontact.com/us/products/2202967>

## Technical data

### Product properties

|                |  |
|----------------|--|
| Product type   | Base latches   |
| Housing type   | DIN rail housing for use in distribution boards in accordance with DIN 43880 |
| Housing type   | Modular building installation housings                                       |
| Housing series | BC   |
| Product family | BC   |

### Dimensions

|        |         |
|--------|---------|
| Width  | 14.4 mm |
| Height | 29.8 mm |
| Depth  | 5.9 mm  |

### Material specifications

|                  |                |
|------------------|----------------|
| Color (Housing)  | red (RAL 3001) |
| Material Housing | POM            |

### Mounting

|               |         |
|---------------|---------|
| Mounting type | Snap in |
|---------------|---------|

# FUSSRIEGEL 14,4 L30 SPERR RD - Base latch



2202967

<https://www.phoenixcontact.com/us/products/2202967>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2202967>



**UL Recognized**  
Approval ID: E240868

# FUSSRIEGEL 14,4 L30 SPERR RD - Base latch



2202967

<https://www.phoenixcontact.com/us/products/2202967>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27190605 |
| ECLASS-15.0 | 27190605 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC002779 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

# FUSSRIEGEL 14,4 L30 SPERR RD - Base latch



2202967

<https://www.phoenixcontact.com/us/products/2202967>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.1 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 0.003 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)