KP HCS T-MIN K21 C3 P14 - Membrane keypad

2203569

https://www.phoenixcontact.com/us/products/2203569

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 21 keys, embossed, 3 colors, connecting cable: 59 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

Your advantages

- Easy integration into HCS series electronics housings
- Membrane keypads in various sizes and colors for customized device designs
- Customization of membrane keypad via configurator

Commercial data

Item number	2203569
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFABF
GTIN	4055626474021
Weight per piece (including packing)	19.4 g
Weight per piece (excluding packing)	19.4 g
Customs tariff number	85371098
Country of origin	DE

Technical data

Product properties

Product type	Membrane keypad
Housing type	Handheld housing
Housing series	HCS
Product family	HCS
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Number of positions	14
Pitch	2.54 mm
Embossing	Dome embossing 11 x 11 mm
Number of socket pins	14
Number of keys	21 (3 x 7)

Dimensions

Length	59 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	78 mm x 173 mm
	58 mm x 31 mm (LCD cutout)

Material specifications

Material	Polyester

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C

Mounting

Mounting type	adhesive

Classifications

ECLASS

ECLASS-13.0	27190605
ECLASS-15.0	27190605

ETIM

ETIM 9.0	EC002779

UNSPSC

UNSPSC 21.0	31261500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com