KP HCS T-MED K28 C4 P13 - Membrane keypad

2203570

https://www.phoenixcontact.com/us/products/2203570

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 28 keys, embossed, 4 colors, connecting cable: 124 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

Your advantages

- Easy integration into HCS series electronics housings
- Membrane keypads in various sizes and colors for customized device designs
- Customization of membrane keypad via configurator

Commercial data

Item number	2203570
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFABF
GTIN	4055626474038
Weight per piece (including packing)	16.9 g
Weight per piece (excluding packing)	16.9 g
Customs tariff number	85371098
Country of origin	DE

Technical data

Product properties

Product type	Membrane keypad
Housing type	Handheld housing
Housing series	HCS
Product family	HCS
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Number of positions	13
Pitch	2.54 mm
Embossing	Dome embossing 11 x 11 mm
Number of socket pins	13
Number of keys	28 (4 x 7)

Dimensions

Length	124 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	64 mm x 116 mm

Material specifications

Material	Polyester

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C

Mounting

Mounting type	adhesive

Classifications

ECLASS

ECLASS-13.0	27190605
ECLASS-15.0	27190605

ETIM

ETIM 9.0	EC002779

UNSPSC

UNSPSC 21.0	31261500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com