

# FB-13-ENCL - Control cabinet



2316103

<https://www.phoenixcontact.com/us/products/2316103>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Enclosure for Foundation Fieldbus and PROFIBUS PA. 11 ports with glands and 2 plugged ports.



## Commercial data

Item number	2316103
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	DN11
Product key	DNC1Z1
GTIN	4046356470223
Weight per piece (including packing)	5,913 g
Weight per piece (excluding packing)	5,913 g
Customs tariff number	85369085
Country of origin	US

# FB-13-ENCL - Control cabinet




2316103

<https://www.phoenixcontact.com/us/products/2316103>

## Technical data

### Dimensions

Dimensional drawing	
Width	330 mm
Height	110 mm
Depth	263 mm

### Material specifications

Housing material	Aluminum cast alloy, powder-coated
Material for screw connection	nickel-plated brass, silicone entry and outer seals, polyethylene entry closure

### Cable/line

External cable diameter	4 mm ... 8.4 mm
-------------------------	-----------------

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP66 NEMA 4X
Ambient temperature (operation)	-50 °C ... 130 °C

### Mounting

Mounting position	vertical
-------------------	----------

# FB-13-ENCL - Control cabinet



2316103

<https://www.phoenixcontact.com/us/products/2316103>



## Drawings

Dimensional drawing



Dimensional drawing FB-13-ENCL

# FB-13-ENCL - Control cabinet



2316103

<https://www.phoenixcontact.com/us/products/2316103>

## Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)