

FL WLAN 230 AP 802-11-US - Wireless module



2700452

<https://www.phoenixcontact.com/us/products/2700452>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



WLAN access point for the USA and Canada, 110/230 V AC, IEEE 802.11 a/b/g; 2.4 GHz; 5 GHz, client adapter; antenna diversity; web-based management; 802.11i, WPA2, WPA-PSK, RADIUS, WEP, TKIP, AES

Your advantages

- 2.4 GHz and 5 GHz supported
- High resistance to vibration, shock, and EMI
- Maximum security according to IEEE 802.11i with AES encryption
- Range of several hundred meters*

Commercial data

| | |
|--------------------------------------|--------------------------------|
| Item number | 2700452 |
| Packing unit | 1 pc |
| Note | Made to order (non-returnable) |
| Sales key | DN26 |
| Product key | DNN2W1 |
| GTIN | 4046356553056 |
| Weight per piece (including packing) | 1.3 kg |
| Weight per piece (excluding packing) | 1.3 kg |
| Customs tariff number | 85176200 |
| Country of origin | DE |

Technical data

Product properties

| | |
|--------------|-----------------|
| Product type | Wireless module |
| Type | Stand-alone |

Wireless card

| | |
|---------------|--|
| Number | 1 |
| Type | IEEE 802.11a/b/g, 2.4 and 5 GHz to 54 Mbps |
| Assembly note | Permanently installed |

Electrical properties

| | |
|---|-------|
| Maximum power dissipation for nominal condition | 9.6 W |
|---|-------|

Supply: Module electronics

| | |
|----------------------|-------------------------------------|
| Connection method | Via COMBICON |
| Supply voltage | 110 V AC (PoE) |
| Supply voltage range | 110 V AC ... 230 V AC |
| Supply current | 400 mA (Recommended protection 2AT) |

Interfaces

Ethernet

| | |
|-------------------|-----------|
| Interface | Ethernet |
| Number | 1 |
| Connection method | RJ45 jack |

Antenna

| | |
|-------------------|-------------|
| Number | 2 |
| Connection method | RSMA (male) |

Functions

| | |
|-----------------------------------|---|
| Operating modes | Access Point |
| Configuration | Multilingual web-based interface (German/English) under http or https, with password protection |
| Automatic channel selection | yes |
| Quality of service (QoS) | Yes |
| Virtual LAN (VLAN) support 802.1Q | yes |
| Security | WEP 64 bit/128 bit |
| | WEPplus |
| | WPA TKIP |
| | 802.11i WPA2 (RSN,AES) |
| | WPA PSK (preshared key) |
| | WPA group & master rekeying |
| Country support | USA |
| | Canada |

2700452

<https://www.phoenixcontact.com/us/products/2700452>

Wireless

| | |
|--|---------------------|
| Designation | Wireless card |
| Antenna connection method | RSMA (female) |
| Frequency band | 2.4 GHz |
| | 5 GHz |
| Wireless standard | WLAN |
| | IEEE 802.11 |
| | a |
| | b |
| | g |
| h | |
| Transmission power | 20 dBm (EIRP) |
| Number of wireless interfaces | 1 IEEE 802.11 a/b/g |
| Wireless modules that can be connected | 256 (More than) |

Dimensions

| | |
|--------|--------|
| Width | 159 mm |
| Height | 250 mm |
| Depth | 65 mm |

Environmental and real-life conditions

Ambient conditions

| | |
|----------------------------------|---|
| Degree of protection | IP65 |
| Ambient temperature (operation) | -20 °C ... 55 °C |
| Air pressure (operation) | 795 hPa ... 1080 hPa (up to 2000 m above sea level) |
| Permissible humidity (operation) | 10 % ... 85 % (non-condensing) |

Standards and regulations

| | |
|------------------|-------------------------------------|
| Protection class | I (IEC 61140, EN 61140, VDE 0140-1) |
|------------------|-------------------------------------|

Mounting

| | |
|---------------|--|
| Mounting type | Adapter plate |
| | Panel mounting on adapter plate |
| Assembly note | External OMNI omnidirectional antenna, the antennas can be exchanged |

FL WLAN 230 AP 802-11-US - Wireless module



2700452

<https://www.phoenixcontact.com/us/products/2700452>

Environmental product compliance

EU REACH SVHC

| REACH candidate substance (CAS No.) | |
|-------------------------------------|--|
|-------------------------------------|--|

| | |
|--|----------------------------|
| | No substance above 0.1 wt% |
|--|----------------------------|

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com