

# ME-SAS - Shield connection clamp

2853899

<https://www.phoenixcontact.com/us/products/2853899>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Shield connection clamp for terminal points starting from 2.5 mm<sup>2</sup>



## Your advantages

- Safe discharge of interference signals
- Low transfer impedance due to large-surface shield connection
- Convenient mounting of the cable shielding

## Commercial data

Item number	2853899
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	AC08
Product key	ACHADZ
GTIN	4017918178642
Weight per piece (including packing)	6.33 g
Weight per piece (excluding packing)	6.33 g
Customs tariff number	73269098
Country of origin	DE

# ME-SAS - Shield connection clamp



2853899

<https://www.phoenixcontact.com/us/products/2853899>

## Technical data

### Product properties

Product type	Mounting material
Housing type	DIN rail housing
Housing series	ME

### Dimensions

Clamping range of the strain relief clip	ø 6.00 mm ... 10.00 mm
--	------------------------

### Material specifications

Color	silver-colored
Material Housing	Steel
Surface characteristics	galvanized

### Mounting

Mounting type	Screw mounting
---------------	----------------

# ME-SAS - Shield connection clamp



2853899

<https://www.phoenixcontact.com/us/products/2853899>

## Classifications

### ECLASS

ECLASS-13.0	27190605
ECLASS-15.0	27190605

### ETIM

ETIM 10.0	EC002779
-----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# ME-SAS - Shield connection clamp



2853899

<https://www.phoenixcontact.com/us/products/2853899>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)