

# UTA 184 - DIN rail adapter

2854021

<https://www.phoenixcontact.com/us/products/2854021>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Universal DIN rail adapter, for screwing on switchgear



## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 2854021       |
| Packing unit                         | 5 pc          |
| Minimum order quantity               | 5 pc          |
| Sales key                            | AC07          |
| Product key                          | ACGEAD        |
| GTIN                                 | 4017918190255 |
| Weight per piece (including packing) | 176.06 g      |
| Weight per piece (excluding packing) | 176.06 g      |
| Customs tariff number                | 79070000      |
| Country of origin                    | DE            |

# UTA 184 - DIN rail adapter

2854021

<https://www.phoenixcontact.com/us/products/2854021>



## Technical data

### Product properties

|                |   |
|----------------|---|
| Product type   | DIN rail adapter                                |
| Housing type   | DIN rail adapter                                |
| Product family | UTA   |
| Type           | Fastening holes provided, integrated foot catch |

### Dimensions

|        |        |
|--------|--------|
| Width  | 52 mm  |
| Height | 184 mm |
| Depth  | 9.6 mm |

### Material specifications

|                  |               |
|------------------|---------------|
| Housing material | Die-cast zinc |
|------------------|---------------|

### Environmental and real-life conditions

#### Vibration test

|                        |                             |
|------------------------|-----------------------------|
| Specification          | IEC 60068-2-6:2007-12       |
| Frequency              | 10 - 150 - 10 Hz            |
| Sweep speed            | 1 octave/min                |
| Amplitude              | 0.35 mm (10 Hz ... 60.1 Hz) |
| Acceleration           | 5g (60.1 Hz ... 150 Hz)     |
| Test duration per axis | 2.5 h                       |
| Test directions        | X-, Y- and Z-axis           |

#### Shocks

|                                |                                   |
|--------------------------------|-----------------------------------|
| Specification                  | IEC 60068-2-27:2008-02            |
| Pulse shape                    | Semi-sinusoidal                   |
| Acceleration                   | 30g                               |
| Shock duration                 | 18 ms                             |
| Number of shocks per direction | 3                                 |
| Test directions                | X-, Y- and Z-axis (pos. and neg.) |

### Mounting

|               |                   |
|---------------|-------------------|
| Mounting type | DIN rail mounting |
|---------------|-------------------|

# UTA 184 - DIN rail adapter

2854021

<https://www.phoenixcontact.com/us/products/2854021>



## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27370419 |
| ECLASS-15.0 | 27370419 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC001024 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# UTA 184 - DIN rail adapter

2854021

<https://www.phoenixcontact.com/us/products/2854021>



## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)