

# FL LCX CABLE METER - Antenna



2884774

<https://www.phoenixcontact.com/us/products/2884774>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The leaky wave conductor is a "wireless cable" which acts as an antenna and radiates over the entire length. The range is limited here. Track-guided systems can thus be properly supplied even under complex conditions.

## Commercial data

Item number	2884774
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	DN23
Product key	DNN2Z3
Weight per piece (including packing)	250 g
Weight per piece (excluding packing)	250 g
Customs tariff number	85442000
Country of origin	DE

# FL LCX CABLE METER - Antenna



2884774

<https://www.phoenixcontact.com/us/products/2884774>

## Technical data

### Product properties

Product type	Antenna
Gain	0 dBi

### Electrical properties

Frequency band	2.4 GHz
Frequency range	2.4 GHz ... 2.6 GHz
Impedance	50 $\Omega$

### Connection data

#### Connection technology

Connection method	open end
-------------------	----------

### Dimensions

Diameter	13.7 mm
----------	---------

### Material specifications

Material	Al Cu wire
	Copper corrugated tube
	PE foam
	Polyethylene

### Cable/line

Cable weight	250.00 g/m
Cable resistance	2.9 $\Omega$ /km (DC inner conductor)
	4 $\Omega$ /km (DC phase conductor)
Smallest bending radius, fixed installation	min. 32 mm (One-time bending)

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
Ambient temperature (storage/transport)	-70 °C ... 85 °C
Ambient temperature (installation)	-25 °C ... 60 °C

### Standards and regulations

Standard designation	Halogen-free
Standards/specifications	IEC 60754-1 / -2
Standard designation	Flame retardancy
Standards/specifications	IEC 60332-1 / -3.C

### Mounting

# FL LCX CABLE METER - Antenna



2884774

<https://www.phoenixcontact.com/us/products/2884774>

Assembly note

Recommended clamp distance 0.33 m

# FL LCX CABLE METER - Antenna



2884774

<https://www.phoenixcontact.com/us/products/2884774>

## Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)