
MONTAGE ADAPTER LM-S-LS 02 - Mounting adapter

2906891

https://www.phoenixcontact.com/us/products/2906891

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Adapter for easy and correct mounting of the optical lightning sensor for measuring lightning surge currents in a rotor blade of a wind turbine generator.



Commercial data

Item number	2906891
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	NULL
Product key	CLB31Z
GTIN	4055626130651
Weight per piece (including packing)	1,089 g
Weight per piece (excluding packing)	1,129.7 g
Customs tariff number	76169990
Country of origin	DE

Technical data

Product properties

Product type	Assembly adapter

Dimensions

Width	320 mm
Height	41.5 mm
Depth	325 mm

Material specifications

Color	aluminum color
Material	PA 6 GF 30
	Aluminum
Material for screw connection	V4A

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-30 °C ... 60 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C

Classifications

ECLASS

ECLASS-13.0	27170192
ECLASS-15.0	27170192

ETIM

ETIM 10.0	EC002495

UNSPSC

UNSPSC 21.0	39121700

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com