

FUSE 10,3X85 16A PV - Fuse



3062772

<https://www.phoenixcontact.com/us/products/3062772>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Fuse, 10.3 mm x 85 mm, up to 1500 V DC, gPV characteristic

Your advantages

- 10 x 85 midjet fuses for reliable protection of PV modules and their cable system
- Use in PV lines with a nominal voltage of up to 1500 V DC
- Designed in accordance with the photovoltaic standard IEC 60269-6

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 3062772 |
| Packing unit | 10 pc |
| Minimum order quantity | 10 pc |
| Sales key | BE19 |
| Product key | BE1Z4X |
| GTIN | 4046356657259 |
| Weight per piece (including packing) | 16.29 g |
| Weight per piece (excluding packing) | 15.2 g |
| Customs tariff number | 85351000 |
| Country of origin | SI |

FUSE 10,3X85 16A PV - Fuse



3062772

<https://www.phoenixcontact.com/us/products/3062772>

Technical data

Product properties

| | |
|--------------|------|
| Product type | Fuse |
|--------------|------|

Electrical properties

| | |
|------|---|
| Fuse | 16 A Midget/10.3 x 85 (without fault display) |
|------|---|

Fuse

| | |
|----------------------------|------------------------|
| Power dissipation | 3.6 W |
| Melting integral I^2t | 34.2 A ² s |
| Disconnect integral I^2t | 352.1 A ² s |

Connection data

| | |
|----------------------------------|-------------|
| Connection in acc. with standard | IEC 60269-6 |
| Nominal current | 16 A |
| Nominal voltage | 1500 V DC |

Dimensions

| | |
|----------|---------|
| Height | 85 mm |
| Diameter | 10.3 mm |

Material specifications

| | |
|-------|------------------|
| Color | white (RAL 9010) |
|-------|------------------|

Standards and regulations

| | |
|----------------------------------|-------------|
| Connection in acc. with standard | IEC 60269-6 |
|----------------------------------|-------------|

FUSE 10,3X85 16A PV - Fuse



3062772

<https://www.phoenixcontact.com/us/products/3062772>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/3062772>



EAC

Approval ID: RU C-DE.BL08.B.00724

FUSE 10,3X85 16A PV - Fuse



3062772

<https://www.phoenixcontact.com/us/products/3062772>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 27142002 |
| ECLASS-15.0 | 27142002 |

ETIM

| | |
|-----------|----------|
| ETIM 10.0 | EC002704 |
|-----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121600 |
|-------------|----------|

FUSE 10,3X85 16A PV - Fuse



3062772

<https://www.phoenixcontact.com/us/products/3062772>

Environmental product compliance

EU RoHS

| | |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

China RoHS

| | |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |

EU REACH SVHC

| | |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

EF3.1 Climate Change

| | |
|---------|---------------|
| CO2e kg | 0.637 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com