

SST CABLE SET 4X0,25 AI6 YE/OE - Sample set



5053056

<https://www.phoenixcontact.com/us/products/5053056>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Sample set



Commercial data

Item number	5053056
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	AFSF11
GTIN	4055626430683
Weight per piece (including packing)	89 g
Weight per piece (excluding packing)	89 g
Country of origin	DE

SST CABLE SET 4X0,25 AI6 YE/OE - Sample set



5053056


<https://www.phoenixcontact.com/us/products/5053056>

Technical data

Cable/line

Cable length	0.13 m
--------------	--------

PVC black [PVC]

Dimensional drawing	
Shielded	no
Cable weight	33 kg/km
Cable type	PVC black
Cable type (abbreviation)	PVC
External cable diameter	4.70 mm ±0.15 mm
Outer sheath, material	PVC
External sheath, color	black RAL 9005
Conductor material	Bare Cu litz wires
Conductor structure signal line	32x 0.10 mm
AWG signal line	24
Conductor cross-section	4x 0.25 mm ² (Signal line)
Material wire insulation	PVC
Thickness, insulation	≥ 0.23 mm (Core insulation)
Wire diameter incl. insulation	1.25 mm ±0.02 mm
Single wire, color	brown, white, blue, black
Overall twist	4 wires, twisted
Nominal voltage, cable	≤ 300 V
Test voltage, cable	≥ 3000 V
Cable resistance	max. 78 Ω/km (at 20 °C)
Cable insulation resistance	≥ 100 MΩ*km (at 20 °C)
Flame resistance	As per UL-Style 2464
Ambient temperature (operation)	-5 °C ... 80 °C (Cable, flexible installation) -25 °C ... 80 °C (cable, fixed installation)

SST CABLE SET 4X0,25 AI6 YE/OE - Sample set



5053056

<https://www.phoenixcontact.com/us/products/5053056>

Classifications

ECLASS

ECLASS-13.0	41010690
ECLASS-15.0	27061801

ETIM

ETIM 10.0	EC003249
-----------	----------

UNSPSC

UNSPSC 21.0	26121600
-------------	----------

SST CABLE SET 4X0,25 AI6 YE/OE - Sample set



5053056

<https://www.phoenixcontact.com/us/products/5053056>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
---	---

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

EF3.1 Climate Change

CO2e kg	1.446 kg CO2e
---------	---------------

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com