


SL2-2,54/16-ST - Power plug

2896348

<https://www.phoenixcontact.com/us/products/2896348>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Power connector for DIN rail bus connector with 16 free cable ends with a cross section of 0.25 mm², 500 mm long, male contacts

Commercial data

Item number	2896348
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	AC10
Product key	ACHBBZ
GTIN	4046356098427
Weight per piece (including packing)	37.138 g
Weight per piece (excluding packing)	37.138 g
Customs tariff number	85369010
Country of origin	TW

SL2-2,54/16-ST - Power plug

2896348

<https://www.phoenixcontact.com/us/products/2896348>



Technical data

Product properties

Product type	Cable set
Housing type	DIN rail housing for use in distribution boards in accordance with DIN 43880
Number of positions	16

Material specifications

Color	black (RAL 9005)
Housing material	PA

SL2-2,54/16-ST - Power plug


2896348

<https://www.phoenixcontact.com/us/products/2896348>



Drawings

Circuit diagram



SL2-2,54/16-ST - Power plug

2896348

<https://www.phoenixcontact.com/us/products/2896348>



Classifications

UNSPSC

UNSPSC 21.0	39121409
-------------	----------

SL2-2,54/16-ST - Power plug



2896348

<https://www.phoenixcontact.com/us/products/2896348>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com