

# C-ME 4/3 - Operating lever

3035760

<https://www.phoenixcontact.com/us/products/3035760>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Operating lever, for connecting three test disconnect terminal blocks



## Commercial data

Item number	3035760
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE29
Product key	BE2ZWX
GTIN	4046356521864
Weight per piece (including packing)	1.47 g
Weight per piece (excluding packing)	1.4 g
Customs tariff number	85389099
Country of origin	PL

# C-ME 4/3 - Operating lever

3035760

<https://www.phoenixcontact.com/us/products/3035760>



## Technical data

### Product properties

Product type	Switch module
Number of positions	3

### Dimensions

Width	18.4 mm
Height	5 mm
Depth	5 mm

### Material specifications

Color	orange (RAL 2003)
-------	-------------------

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

# C-ME 4/3 - Operating lever

3035760

<https://www.phoenixcontact.com/us/products/3035760>



## Classifications

### ECLASS

ECLASS-13.0	27141190
ECLASS-15.0	27250190

### ETIM

ETIM 10.0	EC002848
-----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# C-ME 4/3 - Operating lever

3035760

<https://www.phoenixcontact.com/us/products/3035760>



## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

### EF3.1 Climate Change

CO2e kg	0.017 kg CO2e
---------	---------------

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)