

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Multilingual software for terminal strip configuration. A marking module enables the professional marking of markers and labels for identifying terminal blocks, conductors and cables, and devices.

Product description

Note:
This software is not up-to-date and will no longer be kept up-to-date. As a result, this software no longer represents the current product portfolio, which may lead to limited functionality and errors. For this reason, we strongly recommend to use the successor product.

Your advantages

- Quick, easy, and flexible adaptation to changing requirements
- The labeling is clearly assigned in the project structure
- The professional version also includes an efficient template designer, which can be used to design custom labels and adapt existing material descriptions
- Graphics, various barcode types, and geometric elements such as squares, circles, and lines can be accessed for design work
- Data can also be imported into the templates from various data sources
- Labeling is produced in the sub-projects

Commercial data

Item number	5146053
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	NULL
Product key	BG111X
GTIN	4046356164221
Weight per piece (including packing)	95.2 g
Weight per piece (excluding packing)	90.7 g
Customs tariff number	85234910
Country of origin	DE

Technical data

Product properties

Product type	Planning and configuration
--------------	----------------------------

System properties

Functionality

Basic functions	Simple product selection supported by photos
	CLIPLINE complete modular terminal block range with four connection methods
	User-guided planning of surge protection modules TRABTECH
	Project planning of terminal blocks, surge protection, PLC relays, optical couplers, power supplies and bus terminal modules
	Automatic correction, during which, for example, power terminal blocks, bases, covers and end brackets are automatically positioned
	2D and 3D graphics in realtime
	Scalable graphic output in the Auto-CAD formats DXF, DWG and DXB
	Data export in the formats bmp, gif, jpg, pcx, tif
	Fully automatic generation of complete terminal strips from EPLAN 5 and EPLAN 21
	Data transfer to MS-Excel® and MS-Word®
	Export of the labeling data to the CMS-MARK-WIN labeling program CMS-MARKWIN
	CSV and XML interface
Internet update	

System requirements

Operating equipment	Mouse recommended
Operating system	MS Windows 7 (32/64-bit), MS Windows 8 (32/64-bit), MS Windows 8.1 (32/64-bit), MS Windows 10 (32/64-bit), MS Windows 11 (32/64-bit)
Processor	Pentium II > 400 MHz
Hard disk memory	2 GByte
Languages supported	German, English, Spanish, French, Italian, Dutch, Russian, Polish, Hungarian, Czech, Turkish, Portuguese, Chinese, and Japanese
Optical drive	CD-ROM
Software interface	EPLAN 5.7
	EPLAN Electric P8
	AUCOTEC ELCAD
	AUCOTEC Engineering Base
	AUCOTEC RUPLAN
	ZUKEN E³
	Bentley Promis-e

CLIP-PROJECT PROFESSIONAL - Software



5146053

<https://www.phoenixcontact.com/us/products/5146053>

	WSCAD
	IGE XAO
	PC-Schematic AUTOMATION
	SDProget SPAC
Software requirements	Internet Explorer 6
Screen resolution	1024 x 768
Graphics card	3D accelerator card

CLIP-PROJECT PROFESSIONAL - Software



5146053

<https://www.phoenixcontact.com/us/products/5146053>

Classifications

UNSPSC

UNSPSC 21.0	43233600
-------------	----------

5146053

<https://www.phoenixcontact.com/us/products/5146053>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
---	---

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com